



#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In repatent of : Confirmation No. 5664

Toshihiro EZAKI et al. :

Patent No. 7,072,954 : Atty Docket No. 2000 0401A

Issued : Attn: Certificate of Correction Branch

NETWORK MANAGEMENT SYSTEM

### REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

O CHARGE ANY DEFICIENCY IN THE EES FOR THIS PAPER TO DEPOSIT ACCOUNT NO. 23-0975

Sir:

It is hereby requested that a Certificate of Correction issue in accordance with the provisions of 37 CFR 1.322 to correct mistakes in the above-identified patent which are listed below and on the enclosed Form PTO-1050.

#### ON THE FRONT PAGE

On Page 1, right column, under Other Publications, line 3, please replace "System Science," with --System Sciences,--.

Certificate

OCT 3 0 2006

of Correction

# **REMARKS**

The above-identified error in U.S. Patent No. 7,072,954 incurred through the fault of the U.S. Patent and Trademark Office, and each of the identified errors are clearly disclosed in the records of the Office. Accordingly, this Request is submitted under the provisions of 37 C.F.R. § 1.322, and a Certificate of Correction should issue at no expense to patentees.

Respectfully submitted,

Toshihiro EZAKI et al.

3y <u>//</u>

Jonathan R. Bowser

Registration No. 54,574

Attorney for Patentees

JRB/nrj Washington, D.C. Telephone (202) 721-8200 Facsimile (202) 721-8250 October 26, 2006 To: The Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,072,954

DATED

INVENTOR(S) : Toshihiro EZAKI et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## **ON THE FRONT PAGE**

On Page 1, right column, under Other Publications, line 3, please replace "System Science," with -- System Sciences,--.